

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	30	(smart\$card ic smartcard) with decrypt\$5 with encrypted with content with key and @ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 16:47
L4	19	external adj decrypt\$5 and @ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 16:55
L5	3	ASIC with secur\$4 with memory with (encrypted enciphered) with (secret key information code) and @ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 16:59
L6	577369	ic secur\$4 with memory with (encrypted enciphered) with (secret key information code) and @ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 17:00
L7	16	ic WITH secur\$4 with memory with (encrypted enciphered) with (secret key information code) and @ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 17:00
L8	25	secur\$4 with memory with (encrypted enciphered) adj key and @ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 17:05
L9	56	secur\$4 with (storage memory) with (encrypted enciphered) adj key and @ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 17:05
L10	307	secur\$5 near2 (module device) with decrypt\$5 near2 key and @ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 17:10
L11	1	secur\$5 near2 (module device) with decrypt\$5 near2 key with ic and @ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 17:11
L12	14	secur\$5 near2 (module device) with decrypt\$5 near2 key AND 380/281.CCLS. and @ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 17:15
L13	0	"20040093494".pn. and ASIC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 17:55
L14	1	"20040093494".pn. and IC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 17:55

S1	7	encapsulat\$5 with APDU with packet and @ad<="20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 11:58
S2	88	encapsulat\$5 with data near unit with packet and @ad<="20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 12:08
S3	1	encapsulat\$5 with application near2 data near unit with packet and @ad<="20010430"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 12:09
S4	1	actuator near sensor near interface and code near (table memory) with encrypt \$5 and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 14:29
S5	3	actuator near sensor near interface and (table memory) with encrypt\$5 and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 14:30
S6	5	ASIC with code with (table memory) with encrypt\$5 and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 14:32
S7	13	ASIC with key with (table memory) with encrypt\$5 and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 14:35
S8	1040	encrypted adj2 key with (table memory ROM RAM) and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 14:38
S9	2	encrypted adj2 key with (table memory ROM RAM) with ASIC and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 14:38
S10	2	encrypted adj2 key with dongle and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 14:40
S11	628	encrypted with external with (key code) and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 14:42
S12	0	encrypted with external with (key code) with ASIC and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 14:42
S13	3	ASIC WITH encrypt\$5 with key with external and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 14:43
S14	23	ASIC with stor\$5 with secur \$5 with memory and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 14:44
S15	37	key with IC with stor\$5 with secur\$5 with memory and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 14:47
S16	179	encrypted near2 key with secur\$5 with memory and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:01

S17	2	dongle with decrypt\$5 with encrypted near2 key and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:10
S18	87	380/281.ccls. and secur\$5 with memory and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:11
S19	23	380/281.ccls. and secur\$5 with memory with encrypted and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:14
S20	29	external near2 decrypt\$6 with secur\$5 with memory and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:22
S21	0	external near2 decrypt\$6 and chen-shin\$hon.xa. and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:32
S22	64	chen-shin\$hon.xa. and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:33
S23	31	chen-shin\$hon.xa. and external and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:33
S24	94	external with decrypt\$5 with key with encrypted near2 (code key) and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:39
S25	110	external\$5 with decrypt\$5 with key with encrypted near2 (code key) and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:39
S26	20	decrypt\$5 near2 encrypted adj key with secur\$5 with device and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:42
S27	236	processor with memory with encrypted with key and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:48
S28	53	processor with memory with encrypted with key and external with decrypt\$5 and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 15:48
S29	199	(smart\$card ic smartcard) with decrypt\$5 with encrypted with key and @Ad<="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/04 16:03

8/ 4/ 08 6:26:40 PM

C:\ Documents and Settings\ SChen4\ My Documents\ EAST\ Workspaces\ 10556905.wsp